



ENVIRONMENTAL PROTECTION AGENCY

6560-50

[EPA-HQ-OECA-2012-0503; FRL-9526-9]

Agency Information Collection Activities: Submission to OMB for Review and Approval; Comment Request; Emission Guidelines for Large Municipal Waste Combustors Constructed on or before September 20, 1994 (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR which is abstracted below describes the nature of the collection and the estimated burden and cost.

DATES: Additional comments may be submitted on or before [INSERT DATE 30 DAYS AFTER PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES: Submit your comments, referencing docket ID number EPA-HQ-OECA-2012-0503, to: (1) EPA online, using www.regulations.gov (our preferred method), or by email to: docket.oeca@epa.gov, or by mail to: EPA Docket Center (EPA/DC), Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, mail code 28221T, 1200 Pennsylvania Avenue, NW, Washington, DC 20460; and (2) OMB at: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW, Washington, DC 20503.

FOR FURTHER INFORMATION CONTACT: Learia Williams, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental

Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460; telephone number: (202) 564-4113; fax number: (202) 564-0050; email address: williams.learia@epa.gov.

SUPPLEMENTARY INFORMATION: EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On August 9, 2012 (77 FR 47631), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received no comments. Any additional comments on this ICR should be submitted to both EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under docket ID number EPA-HQ-OECA-2012-0503, which is available for either public viewing online at <http://www.regulations.gov>, or in person viewing at the Enforcement and Compliance Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Avenue, NW, Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket is (202) 566-1752.

Use EPA's electronic docket and comment system at <http://www.regulations.gov> to either submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper, will be made available for public viewing at <http://www.regulations.gov> as EPA receives them and without change, unless the comment contains copyrighted material, Confidentiality of Business

Information (CBI), or other information whose public disclosure is restricted by statute.

For further information about the electronic docket, go to www.regulations.gov.

Title: Emission Guidelines for Large Municipal Waste Combustors Constructed on or before September 20, 1994 (Renewal)

ICR Numbers: EPA ICR Number 1847.06, OMB Control Number 2060-0390

ICR Status: This ICR is scheduled to expire on February 28, 2013. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB.

Abstract: The affected entities are subject to the General Provisions of the NSPS at 40 CFR part 60, subpart A and any changes, or additions to the Provisions specified at 40 CFR part 60, subpart Cb.

Owners or operators of the affected facilities must make an initial notification report, performance tests, periodic reports, and maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. Reports are also required semiannually.

Burden Statement: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 1,725 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and

disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements which have subsequently changed; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

Respondents/Affected Entities: Large municipal waste combustors

Estimated Number of Respondents: 81

Frequency of Response: Annually and semiannually

Estimated Total Annual Hour Burden: 394,965

Estimated Total Annual Cost: \$52,760,002, which includes \$51,204,802 in labor costs, no capital/startup costs, and \$1,555,200 in operation and maintenance (O&M) costs.

Changes in the Estimates: There is a small decrease in labor hours for privately-owned respondents and an increase in labor hours for publicly-owned respondents from the most recent ICR. The changes in labor hours are due to rounding in the number of respondents that are subject to semi-annual excess emissions reporting. This ICR uses rounded value for the number of respondents in calculating labor hours and costs. Additionally, there is an increase of one labor hour for the Agency due to correction of rounding error from the previous ICR.

There is also an increase in labor costs for both the respondents and the Agency. This increase is not due to any program changes. The change in cost estimates reflects updated labor rates available from the Bureau of Labor Statistics.

John Moses, Director, Collection Strategies Division.

[FR Doc. 2013-01802 Filed 01/28/2013 at 8:45 am; Publication Date: 01/29/2013]